

MATERIAL SAFETY DATA SHEET

# V-Wrap C150-G

## High Strength Carbon Fiber



www.vsl.net

---

### 1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

---

**MATERIAL IDENTITY:**

Carbon (Carbon Fiber) V-Wrap C150-G

**INFORMATION TELEPHONE:**

410-850-7000

**COMPANY:**

VStructural LLC  
7455 T New Ridge Road  
Hanover, MD 21076

**EMERGENCY TELEPHONE:**

CHEMTREC: 800-424-9300

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

---

**CHEMICAL TYPE:** Carbon (Carbon Fiber)

**CAS Number:** N/A

**SUBSTANCE ( ) MIXTURE (0); UN CLASS & UN NUMBER :** N.A.

Chemical Name	Comp. (%)	Chemical Formula (Constitutional Formula, Structural Formula)	CAS No.	TSCA
Carbon Fiber	≥94	Carbon Fiber	N/A	Registered
Sizing Agent	≤2	Not open to public	Registered	Registered

---

### 3. HAZARDS IDENTIFICATION

---

**EYE HAZARDS:**

May be a mechanical eye irritant

**SKIN HAZARDS:**

May cause skin irritation

**INGESTION HAZARDS:**

May be harmful if swallowed.

**INHALATION HAZARDS:**

May cause mechanical irritation to the upper respiratory tract.

**CHRONIC/CARCINOGENICITY EFFECTS:**

N/A

**CONDITIONS AGGRAVATED BY EXPOSURE:**

N/A

---

### 4. FIRST AID MEASURES

---

**EYE**

Rinse eyes thoroughly with water for at least 15 minutes. Consult Physician.

**SKIN ABSORPTION**

Wash affected area with soap and water. Use a wash cloth to help remove the fibers. Get medical attention if irritation persists.

www.vsl.net • 410-850-7000

MATERIAL SAFETY DATA SHEET

# V-Wrap C150-G

## High Strength Carbon Fiber



**INGESTION**

If swallowed, get medical attention immediately.

**INHALATION**

Remove to fresh air and support breathing as necessary. Get medical attention if symptoms persist.

---

**5. FIRE FIGHTING MEASURES**

---

**FLASHPOINT:**

N/AV

**FIRE AND EXPLOSION HAZARDS:**

Avoid exposure through use of self-contained, positive pressure breathing apparatus.

**EXTINGUISHING MEDIA**

In case of fire, use water spray (fog) foam, dry chemical, or CO2.

**FIRE FIGHTING INSTRUCTIONS:**

Firefighters should wear self-contained breathing apparatus and full protective gear.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

Avoid contact with skin, eyes, or clothing. Clean up material, put into suitable container and dispose of properly.

---

**7. HANDLING AND STORAGE**

---

**HANDLING & STORAGE PRECAUTIONS:**

Store in a cool, dry area. Maintain sealed against contamination from dirt and moisture.

**WORK/HYGIENIC PRACTICES:**

Wash thoroughly with soap and water after handling.

---

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

**ENGINEERING CONTROLS:**

Use with adequate ventilation.

**EYE/FACE PROTECTION:**

Safety glasses with side shields or goggles.

**SKIN PROTECTION:**

Wear protective clothing such as loose fitting clothing, long-sleeved shirt that covers to the base of the neck. Long pants and gloves are necessary to prevent irritation. Skin irritation is known to occur primarily at pressure points such as around neck, wrists, waist, and between fingers.

MATERIAL SAFETY DATA SHEET

# V-Wrap C150-G

## High Strength Carbon Fiber



**RESPIRATORY PROTECTION:**

General room ventilation is normally adequate. In areas where the P.E.L.s are exceeded, use a properly fitted NIOSH-approved respirator.

**OTHER/GENERAL PROTECTION:**

WASH THOROUGHLY AFTER HANDLING. USE VACUUM EQUIPMENT TO REMOVE FIBERS AND DUST FROM CLOTHING AND WORK AREAS. COMPRESSED AIR IS NOT RECOMMENDED.

**INGREDIENT(S) – EXPOSED LIMITS:** Graphite (Carbon) Synthetic Fiber

Content	Carbon Fiber
OSHA PEL	15 mg/m <sup>3</sup> (TOTAL) 5 mg/m <sup>3</sup> (RESP DUST)
ACGIH TLV:	10.0 mg/m <sup>3</sup> (TOTAL) 3 mg/m <sup>3</sup> (RESP DUST)

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

Appearance:	Black fiber	Odor:	None
Chemical Type:	Mixture	Physical State:	Solid
Melting Point:	6512° F (3600° C)	Specific Gravity:	1.5 – 1.9
Vapor Pressure:	N/A	Vapor Density:	N/AV
PH Factor:	Not Determined	Solubility:	Negligible

---

**10. STABILITY AND REACTIVITY**

---

Stability: Stable  
Conditions to Avoid (Stability): Rapid heating of the product in bulk may produce an uncontrolled exothermic reaction which may char and decompose the sizing system generating unidentified gasses and vapors which may be toxic. Avoid inhalation.  
Hazardous Decomposition Products: CO, CO2, NITROGEN OXIDE, PHENOLS, ALDEHYDES, ACROLEIN, CARBOXYLIC ACID, OTHER TOXIC GASES.

Hazardous Polymerization: Will not occur  
Incompatible Materials: None known.

---

**11. TOXICOLOGY INFORMATION**

---

No data available.

---

**12. ECOLOGICAL INFORMATION**

---

No data available.

---

**DISPOSAL CONSIDERATION**

---

Dispose in accordance with applicable federal, state and local government regulations.

MATERIAL SAFETY DATA SHEET

**V-Wrap C150-G**

**High Strength Carbon Fiber**



www.vsl.net

---

**TRANSPORTATION INFORMATION**

---

**PROPER SHIPPING NAME:**

Not regulated by DOT.

---

**REGULATORY INFORMATION**

---

**U.S. REGULATORY INFORMATION:**

All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**SARA HAZARD CLASSES:**

Acute Health Hazard

**SARA SECTION 313 NOTIFICATION:**

This product does not contain any ingredients regulated under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 or 40 CFR 372.

---

**OTHER INFORMATION**

---

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that VSL believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.

N/A = Not Applicable  
Established

N/D = Not Determined

N/E = Not